

# GPS-A10v2

## Datasheet



**The Life Racing GPS-A10 is a compact low mass unit capable of tracking vehicle speed by GPS position at 10Hz. The unit features a built-in 3-axis accelerometer for measuring lateral, longitudinal and vertical acceleration. The module connects to any device via the CAN network.**

### GPS:

---

- Up to 10Hz update rate
- SBAS (WAAS/EGNOS) correction
- Accurate to within 2.5m
- Stores local satellite information for under 3s “hot start”

### Motion Sense:

---

- 3-axis accelerometer up to  $\pm 16G$
- High frequency internal sampling and filtering
- Software programmable filter cut off frequencies (5-50Hz)
- 100Hz CAN transmission rate

### Interfaces:

---

- CAN 2.0B
- Configurable frame identifiers

**Power Supply:**

- 6V to 28V DC

**Physical:**

- 6way Deutsch Autosport connector
- CNC machined, black anodized aluminium case
- 50x50x20mm (58x50x20mm including connectors)
- Operating temperature -25 to +85°C
- Sealed to IP67
- Total Mass 65 grams

**Ordering Information:**

Description	Part number
GPS-A10b	ANC-B01
GPS Connector Kit	CON-A08
Aerial (included with any new GPS)	ANC-B03

**Wiring Information:**

Pin	Gauge	Signal Name	Signal Notes
1	24AWG	BATTERY SUPPLY	
2	24AWG	CAN HI	CAN communication port
3	24AWG	CAN LO	CAN communication port
4	24AWG	POWER GROUND	
5	24AWG	CAN TERMINATION	Link to GROUND for CAN termination, else DO NOT CONNECT
6	24AWG	NC	NOT CONNECTED. LR use only

Mating connector: ASX602-06SN-HE

**Warranty and Servicing:**

- This equipment comes with a 1 year warranty against manufacturing defects and failures however misuse or damage will not be covered under warranty.